

# 3MP 4G PT Dual Lens CAMERA

HX-SD31T31L5-4G



Pan &  
Tilt



Outdoor  
IP66



Colorized Night  
Vision



Alarm



Two Way  
Audio



Micro SD  
Storage

## Product Feature

- 3MP+3MP, enjoy HD image.
- 2.8 inch Ball body, engineering plastic material, outdoor rainproof, stylish, beautiful and exquisite;
- Pan 350 °, Tilt 180 °, support 10 present position.
- Comes with a hotspot connection, no network can also view and video playback.
- Support cloud storage and local TF card video storage, to ensure the safe storage of video data.
- Support MIC and speaker
- Infrared white dual light design, support black and white and full color mode adjustable. Support two-way audio.
- Active defense, someone intruded into the guard area, human tracking, real-time pushing alarm information, equipment sound and light alarm.

# 3MP 4G PT Dual Lens CAMERA



PT




Colorized Night  
Vision



**P2P**  
Plug & Play  
Technology



Motion  
Detection



Alarm



Two Way  
Audio



Micro SD  
Storage




Outdoor  
IP66

## Connect with 4G


Hixecure camera does not even need to be installed; all you need to do is mount it plug it in, connect to the 4G network, and you are ready to go.

Supports all Indian 4G Sim Cards:





## — SMART LINKAGE ALARM AND TRACKING






**SPLIT VIEW FOR  
MORE IN-DEPTH  
IMAGE DETAILS**



## **Applications**



# Specification

Pixel	3MP + 3MP
Sensor	1/3" CMOS Sensor
Lens	Bullet 4mm fixed lens Dome PT 8mm fixed lens
Resolution	Main stream: 2304*1296; Sub stream : 640*360
Frame rate	Support 2D/3D DNR
Video code	H. 264/ H. 265, Support dual stream
Audio	G. 711, Support audio and video synchronizat ion
Storage	Support cloud storage, TF card storage (Up to 256G)
Audio function	Two—way audio
WIFI	Not Support
Pan	Up to 350° 0.10 200 /Sec
Tilt	Up to 180° 0.10 200 /Sec
RJ45 network	10—100M adaptive
Internet Agreement	Support network protocols such as RTSP/DHCP/NTP
Support Aggrement	Support NI agreement
Minimum illumination	Color: 0. 1Lux, Balck and white 0. 01 Lux
IRLED	IR+ white light (Dome 18 double wick lights + bullet 6 double wick lights)
Fill light distance	IR 50M, white light 20M
Power supply	DC12V
Power consumption	<15W