

4G SMART PT CAMERA

HX-SDL41L3-4G



Night
Vision



Pan
& Tilt



Outdoor
IP66



Alarm



Micro SD
Storage



Two Way
Audio



Product Feature

- 4MP,enjoy HD image quality;
- Dual lens design,10x electronic zoom; Zoom in for more details, zoom out for a wider view;
- Horizontal viewing angle:350°,vertical viewing angle:150°, support 10 preset positions;
- Insert the SIM card, plug and play, no configuration required, support video playback.
- Support local TF card storage which ensures safe storage of video data;
- Support MIC and speaker, support two-way audio with clear voice;
- Employ both a white light and infrared light,support two night vision mode: B/W mode, full color mode;
- Achieve active defense. Support humanoid detection.The device can sound an alarm and turn on a light when someone breaks into the monitoring area.



HIXECURE
technology tweaked, for better

4MP 4G PT Camera(Dual Lens)

Connect with 4G sim to have a hassle-free camera connection

 Wireless  Sim Based



Telephoto lens for a closeup



Wide-angle lens for an overview

4G Connect

Hixecure camera does not even need to be installed; all you need to do is mount it plug it in, connect to the 4G network, and you are ready to go.



Supports all Indian 4G sim cards:



Others



Coloured Night View

Provides perfect clarity full-color video even in low light because the larger sensor's pixels collect more light, which enhances image quality even in low light.



4MP Full HD Video Recording


MicroSD Card Support

Use a MicroSd Card to record your video; It can support up to 256GB of data.



Team, please complete the hall portion by today

Ok, Sir.



Two Way Audio Communication

Allows you to communicate with your loved ones wherever you are, which includes using a phone to talk while watching a live video feed.

Motion Detection

Camera recognises human detection and intelligent notifications, so you will only receive a warning when it is necessary. If there is enough variation between frames, a camera will turn on automatically.



Pan & Tilt

It can pan up to 350°, tilt up to 150°, using a mobile app you can monitor and control rotation remotely.




Dual Lens Design

- Upto 10x electronic zoom;
- Zoom in for more details;
- Zoom out for a wider view;



Applications



Specification

Pixel	4MP
Sensor	1/3* CMOS Sensor
Lens	2.8mm+12mm
Resolution	Main stream: 2304 *1296; Sub stream 640* 360
Frame rate	15fps
Compression	H.264/H .265,support dual stream
Audio Compression	AAC,G711
Storage	Support TF card (Max.256G)
Audio function	Two way audio
4G band	FDD-LTE:B1/B3/B5/B8; TDD-LTE:B34/B38/B39/B40/B41
Horizontal viewing angle	3500
Vertical viewing angle	1500
RJ45 network port	10-100M adaptive
ONVIF	Support
Min. Illumination	Color: 0.1 LuxB/W 0.01 Lux
IRLED	6 x IR LEDs + 6 x Spotlight LEDs (double core LED)
Night vision distance	20-30 M
Power supply	DC 12V
Power consumption	< 5W