

# CCTV SMPS | INDEPENDENT SERIES

## 4 Channel



PS-1204 (CCTV Power Supply) Comes with Individual output and resettable fuse. It ensures safe installation and delivers 1A current (Max) via each port.

### **Protections:**

It Includes Various Protections such as Overload, overvoltage, Over Current, Short Circuit, and Over Temperature Protection.

### **Voltage Adjustment Switch:**

It is useful to compensate voltage loss at camera end (12-15V DC).

### **Aesthetic:**

Unique and attractive with Ventilation for heat dissipation.

### **Strong and Durable:**

Made from High grade ABS plastic.

### **Led Indicator:**

Led indicator for each channel shows the functional status.

### **Certifications:**

BIS Approved.

# Technical Specifications

---


Feature	Specification
AC Input Voltage	150~265VAC
DC Output Voltage	12~15VDC
Rated Power	52.5W
Ripple & Noise (max.)	96mV(max)
Voltage Adj. Range	12~15V
Device	Primary-Side Regulation
Device(frequency)	132KHz
VDS Voltage	550V(max)
Line Regulations	±1%
Load Regulations	±5%
SCP	Output short-circuit protection
OPP, OCP	Output overload/over-current protection
OVP	Output overvoltage protection, auto-restart or latching
line UV	Line brown-in/out protection
OV	Line overvoltage shutdown extends line surge withstand
OTP	Accurate thermal shutdown, hysteretic or latching
Efficiency(Typ.)	84%
Frequency Range	47~63HZ
Storage Temperature	0-50°C

## Product View




**14 CM**

## Packaging View



**14.5 CM**

**12"**



**9"**



# Applications

