


CCTV SMPS | INDEPENDENT SERIES

16 Channel



PS-1216 (CCTV Power Supply) Comes with Individual output and resettable fuse. It ensures safe installation and delivers 1A current (Max) via each port.

Protections:

It Includes Various Protections such as Overload, overvoltage, Over Current, Short Circuit, and Over Temperature Protection.

Voltage Adjustment Switch:

It is useful to compensate voltage loss at camera end (12-15V DC).

Aesthetic:

Unique and attractive with Ventilation for heat dissipation.

Strong and Durable:

Made from High grade ABS plastic.

Led Indicator:

Led indicator for each channel shows the functional status.


Certifications:

BIS Approved.


Technical Specifications

Feature	Specification
AC Input Voltage	150~265VAC
DC Output voltage	12~15VDC
Rated Power	150W
Ripple & Noise (max.)	140mV(max)
Voltage Adj. Range	12~15V
Device	Primary-Side Regulation
Device(frequency)	132KHz
VDS Voltage	616V(max)
Line Regulations	±1%
Load Regulations	±5%
SCP	Output short-circuit protection
OPP, OCP	Output overload/over-current protection
OVP	Output overvoltage protection, auto-restart or latching
line UV	Line brown-in/out protection
OV	Line overvoltage shutdown extends line surge withstand
OTP	Accurate thermal shutdown, hysteretic or latching
Efficiency(Typ.)	83%
Frequency Range	47~63HZ
Storage Temperature	0-50°C

Product View



Packaging View



Applications

